

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	704	264/234.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/11/09 12:14
L2	0	"264345".ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/11/09 12:14
L3	895	264/345.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/11/09 12:14
L4	143	264/52.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/11/09 12:15
L5	649	264/5.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/11/09 12:15
L6	337	264/570.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/11/09 12:15
L7	385	425/223.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/11/09 12:15
L8	24269	(cement or concrete) same (cure or curing)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/11/09 12:15
L9	13780	((cement or concrete) same (cure or curing)) and water	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/11/09 12:16
L10	7154	((cement or concrete) same (cure or curing)) and water and temperature	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/11/09 12:16
L11	4339	((cement or concrete) same (cure or curing)) and water and temperature and pressure	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/11/09 12:16
L12	772	((cement or concrete) same (cure or curing)) and water and ((temperature and pressure) near2 high)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/11/09 12:17

L13	329	(concrete same (cure or curing)) and water and ((temperature and pressure) near2 high)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/11/09 12:30
L14	64	(concrete same (cure or curing)) same water same ((temperature and pressure) near2 high)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/11/09 12:34
L15	22	Eiichi near2 Tazawa	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/11/09 12:35
L16	202	Akihiro near2 Hori	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/11/09 12:35